Product datasheet

Specifications

Nail clip, Thorsman, round cable installation, 1.2x20mm, C2, set of 100, clear

2011005

(!) **Discontinued on:** 4 Aug 2020

(!) **Discontinued**

EAN Code: 7315882011000

Main

Range	Thorsman
Range of product	Thorsman
Product or component type	Nail clip
Device short name	TC
Device application	Installation of round cable
Cable type	Round cable 3...5 mm
Type of installation	Indoor
Provided equipment	Nail
Nail diameter	1.2 mm
Length	20 mm
Embedding depth	15 mm

Complementary

Colour tint	Clear
Material	Clip: PP (polypropylene) Nail: electroplated hardened steel
Atmospheric-corrosivity category	C2
Ambient air temperature for operation	-40…80 °C
Main colour tint	Clear
Colour tint	Clear

Environment

Environmental characteristic	UV resistant Impact resistant
Quantity per set	Set of 100
Net weight	0.00029 kg

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.500 cm
Package 1 Width	0.500 cm

Rates duty January 2016

Life Is On | Schneider Electric

Package 1 Length	2.000 cm
Package 1 Weight	0.300 g
Unit Type of Package 2	BB1
Number of Units in Package 2	100
Package 2 Height	3.500 cm
Package 2 Width	5.000 cm
Package 2 Length	7.500 cm
Package 2 Weight	36.000 g
Unit Type of Package 3	S02
Number of Units in Package 3	6000
Package 3 Height	15.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	2.404 kg

Contractual warranty

Warranty	18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained ›

How we assess product sustainability ›

Use Better

Materials and Substances	
Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Pro-active compliance (Product out of EU RoHS legal scope)**
REACh Regulation	**REACh Declaration**

Use Again

Repack and remanufacture	
End of life manual availability	**No need of specific recycling operations**
Take-back	**No**